



PA768

6.3" 5G Rugged Touch Computer

5G & Wi-Fi 6E | 10m Barcode Reading Distance | Hot Swappable 5100mAh Battery

Unitech introduced its first 5G rugged mobile computer, PA768, which aims to boost the operation experience with speedy wireless communication, outdoor durability for various professions in field service, transportation and logistics applications.

A New Generation of 5G & Wi-Fi 6E

Featuring 5G and Wi-Fi 6E technology, the PA768 rugged mobile computer delivers incredible speed in transmissions and lower latency to give mobile workers reliable and higher speed to synchronize with the system, handling jobs more efficiently. It helps user in a new era of speedy connection for businesses.

Especially Designed for Outdoor Applications

The PA768 is combined with superior barcode scanning ability, sunlight-readable 500 nits display, and durable design that makes it an ideal tool to handle complex tasks with mobility and efficiency. Field service technicians can use the touch panel while wearing gloves, or wet-finger communicate real-time status with coworkers, and capture images on sites with a 16MP camera. Its all-in-one functionality allows staff to manage tasks more precisely and productively.

Reliable at its best

The PA768 also comes with the GMS certified that makes your toughest workdays easier. Reaching IP65 & IP68 enterprise protection and withstanding 1.8M drop makes PA768 a perfect tool to maximize data collection, management, and traceability in nearly every practice of transportation & logistics, field service, manufacturing, and more!

Various Accessories

It allows users to add values to your device with the standard gun grip or unique UHF RFID gun grip. Just simply attach it, and it will deliver a convenient way to support standard barcode scanning, RFID scanning in inventory tracking and taking solutions.

Features

- Android 12 OS with GMS certified
- Leading 5G dual SIM card enterprise handheld computer
- Support Wi-Fi 6E : 2.4 and 5GHz frequency as well as the 6GHz band
- Superior barcode engine : 1D/ 2D/ DPM/ DOT code/ barcodes on screens/ OCR
- Multi-Scan function: Available to read 10 barcodes at one time
- 1.5M drop-resistant housing (1.8M with bumper)
- IP65 & IP68 heavy-duty protection against water and dust
- True Hot-swap battery design without downtime
- Support MDM Software Solutions and utilities such as Airwatch, SOTI, Ivanti Wavelink, and MoboLink.





Operation System

| | |
|-------------------|-----------------------------------------------------------------------|
| OS | Android 12 with GMS & AER certified |
| CPU | Qualcomm Snapdragon™ 6490 Processor, 64bits, Octa Cores up to 2.7 GHz |
| Memory | 6 GB RAM / 64GB UFS Flash (128GB option) |
| Languages support | Multiple languages |
| AI | 6th Gen Qualcomm AI Engine |

Display

| | |
|-------------|--------------------------------------------------------------------------------------------------------------------|
| Screen | 6.3" Color LCD 1080 X 2340 (FHD+) High Resolution Display High sunlight visibility- LCD backlight up to 500nits |
| Touch Panel | Gorilla Glass with Multi-Touch Capacitive Touch Panel, support stylus, glove, wet-finger Compatibility |

Keypad

Programmable key, Volume up/down key, Left/right scan key, Power key

Indicator

LEDs, Vibrator, Speaker

Camera

5 MP Front camera
16 MP Rear Camera with LED flash and auto-focus function, Support Google ARcore

RFID

| | |
|-----------|------------------------------------------------------------------------------------------------------------------------------|
| UHF | UHF gun grip (see RG768) |
| HF | Support HF/NFC Frequency 13.56Mhz Support: ISO14443A/B, ISO15693, Mifare, Felica(ISO/IEC18092) Apple VAS certified* |
| Apple VAS | *available only for specific SKU |

Power Source

| | |
|------------------|------------------------------------------------------------------------|
| Main battery | Hot Swappable 5100mAh Li-ion battery / battery with cover in one piece |
| Extended battery | 7700mAh / battery with cover in one piece (optional) |
| Hot Swap | Yes, Keeps applications active up to 1 minute |

Enclosure

| | |
|--------------------------|-------------------------------|
| Dimensions (H x W x D) | 167mm x 75.5mm x 17mm |
| Weight | 270 g (with standard battery) |

Symbologies

Built-in 2D imager engine with red laser aimer, with 1 Mpx & global shutter function
Optional Middle range engine support read range up to 10 meters
Support all 1D & 2D major barcodes

Communication

| | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bluetooth® | Bluetooth® 5.2 , BLE 5, Class 1.5 |
| WLAN | Wi-Fi 6E+DBS, 2.4GHz & 5GHz & 6GHz IEEE 802.11a/b/e/g/n/ac/d/h/i/k/r/v/ac/ax (2x2 MU-MIMO) Security WPA3, WPA2, WPA & WEP |
| WWAN | 5G Sub 6GHz:N1/N2/N3/N5/N28/N41/N48/N71/N77/N78/N79 (4x4 MIMO) 4G LTE(FDD) – Bands 1, 2, 3, 4, 5, 7, 8, 17, 20, 28, 48 (TDD) – Bands 38, 39, 40, 41 3G UMTS/HSPA+ – Bands 1, 2, 5, 8 2G GSM/GPRS/EDGE (850/900/1800/1900 MHz) *Support Dual Sim Dual 5G *Support 4G LTE Advanced , Up to CAT12 LTE downlink/uplink |
| GPS | GPS, GLONASS, Galileo, Beidou, QZSS, SBAS, supports L1+L5, a-GPS, XTRA |
| Sensors | Gyroscope, G-sensor, E-compass, Light & Proximity Sensor |

I/O Interfaces

| | |
|----------------|-----------------------------------------------------------------------------------------------------|
| USB | USB 3.1 type C, support fast charging, OTG, Display Port Mode by dongle or USB-C of Ethernet cradle |
| POGO PIN | Bottom pogo pin for cradles, rear pogo pin for gun grips |
| SIM Slot | Nano SIM Slot x 2 |
| Expansion Slot | Micro SD x 1, up to 1TB |
| Audio | SmartPA Speaker support 100 dB at 10cm Dual-Microphone support noise cancellation |

Environmental

| | |
|------------------------|---------------------------------------------------|
| Operating temperature | -20°C to 55°C (-4°F to 131°F) |
| Storage temperature | -40°C to 70°C (-40°F to 158°F), without battery |
| Relative Humidity | 5% ~ 95% (Non-Condensing) |
| Drop test to Concrete | 1.8 meter with bumper 1.5 meter without bumper |
| Environmental Sealing | IP65 & IP68 per IEC 60529 |
| Vibration/ Tumble test | Tumble 600 times (1.6 ft./0.5 m) |

Regulatory Approvals

CE, FCC, NCC, VCCI, TELEC, CCC, SRRC, BQB, N-Mark, RoHS 2.0

Accessories

Hand Strap
USB 3.0 type-C cable
Fast Charge Adaptor
9H Glass Screen Protector
Multi-Slot Terminal Charging / Ethernet Cradle / Battery Charger
1-Slot Charging / USB / Ethernet cradle
Standard/UHF Gun Grip
Stylus & Coiled Strap

unitech Europe

Tilburg / Netherlands
http://eu.ute.com e-mail: info@eu.ute.com

unitech Japan

Tokyo
http://jp.ute.com e-mail: info@jp.ute.com

unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen
http://cn.ute.com info@cn.ute.com
Taipei http://tw.ute.com info@tw.ute.com

Headquarters

Taipei, Taiwan
http://www.ute.com e-mail: info@hq.ute.com

unitech America

Los Angeles
http://us.ute.com e-mail: info@us.ute.com
http://can.ute.com info@can.ute.com
Mexico
http://latin.ute.com e-mail: info@latin.ute.com

unitech Asia Pacific & Middle East

Taipei
http://apac.ute.com info@apac.ute.com / info@india.ute.com
http://mideast.ute.com info@mideast.ute.com



Development Tools



Unitech SDK



Scanner SDK



RFID SDK

Unitech offers a number of SDK toolkits for developers to write apps that can interact with the unitech devices for the mobile, scanner, and the RFID product lines.

Device Management



Staging and Management



MoboLink

Android Enterprise ready EMM for monitoring device health and managing apps, configs and files.



StageGO

Barcode-based device staging utility offering hundreds of script commands for you to work with.



OEMConfig

If you are using a third party EMM, OEMConfig will allow those EMM solutions to configure unitech specific settings on the device.



Enterprise Launcher

Secure your devices by kiosk them with Enterprise Launcher. Block access to the Android system and only allow limited number of apps to be run.



Battery info

Monitor advanced Battery health and manage the battery replacement cycle. Use with MoboLink to get real-time battery health alerts delivered to your phone.



Software Update

Check and install software updates online. To let a device always stay up-to-date, setup the device to automatically check and install for updates on boot up.



System Update Center

Check and install firmware updates via FOTA. You can update the firmware via online FOTA server, or by using a OTA ZIP file placed in the internal storage.



Unitech Scanner Utility

An Android application which helps users connect, configure and use a supported Unitech Bluetooth scanner.

Productivity and Utilities




USS

Configure all scanner settings with friendly user interface and enable the service to make scanning data as keypad input.



USS Profiles



USS Camera

Capture barcode data using the device camera and send the data to your applications as keyboard inputs.



KeyRemap

Reprogram physical buttons to act as another key or to launch an app.



WLAN Advanced

Configure advanced WLAN settings such as power saving mode and roaming parameters.



NTP Server Settings

Customize the NTP server setting to keep your device date and time synchronized.



UNote

A simple text viewer and editor for use in your work flows.




Startup

Auto-run apps when device boots up.



TagAccess

For versatile functions of RFID command via integrating with Unitech RFID Readers.



Logger

An easy and fast way to get logs from a device.



Enterprise Keyboard

Enterprise Keyboard gives various methods for user to input data to enhance efficiency and productivity.